

# PRODUCTION PROGRAM





ENGLISH 🏶

# PHOENIX

#### **AODD PUMPS**

Realized in: PP, PVDF, ALUMINIUM, SS AISI 316, POMc Flow-rate from 7lt/min to 1.000 lt/min Connections from 1/4" to 3". ATEX certification for zone 2 and 1 FOOD version FDA compliant







PHOENIX

ATEX





PHOENIX

**SPECIAL FEATURES** 



TWIN PHOENIX

## DRAGON

#### MECHANICAL SEAL CENTRIFUGAL PUMPS

Realized in: PP and PVDF Flow-Rate: from 6m3/h to 40m3/h Delivery Outlet: from 8mts to 25mts





FLAF

C € EÆ



# HELIOS

#### PERISTALTIC PUMPS

- HELIOS AS
- Max Flow-rate 2800 lt/h Max pressure 4 Bar - HELIOS ASP
- Max Flow-rate 25000 lt/h Max pressure 10 Bar
- HELIOS ATR Max Flow-rate 64000 lt/h - Max pressure 8 Bar



1) FX - FIXED FLOW-RATE 🛛 🕗 VX - VARIABLE FLOW-RATE 🔂 IX - VARIABLE FLOW-RATE WITH INVERTER





LOTUS PURE AODD PUMPS 1/2" - 1" - 1"1/2 - 2" PE - PTFE - PE CONDUCTIVE PTFE CONDUCTIVE



DAMPER PULSATION DAMPENERS

Realized in: PP, PVDF, ALUMINIUM, SS AISI 316, POMc. Applicable on all AODD PUMPS

# **TYPHOON**

#### VERTICAL CENTRIFUGAL PUMPS

Realized in: PP and PVDF Flow-Rate: from 6m3/h to 40m3/h Delivery Outlet: from 8mts to 25mts Length: from 500mm to 1250mm

C € ER[

### COMPASS

#### MAG DRIVE PUMPS

Realized in: PP, PVDF Flow-rate from 3,5 m3/h to 35 m3/h Delivery outlet from 4mts to 25 mts

#### MINI COMPASS

Realized in: PP, PVDF Flow-rate from 10 lt/min to 45 lt/min Delivery outlet from 1,5mts to 8 mts





#### **AIR MOTORS**


Power from 0.35kW up to 7 kW Speed up to 7000rpm Torque up to 35 Nm



# MIXER

#### VERTICAL AGITATORS ELECTRIC AND PNEUMATIC MOTORS

Realized in: SS AISI 304, 316, PVC COATED, PP COATED Speed from 56 RPM to 1400 RPM Lenght from 600 mm to 3000 mm





### 

**DRUM PUMPS** Pumps tube made in PP, PVDF, SS, ALU Motor 230 V or Pneumatic Hand Pumps



#### TAURUS ELECTRO MECHANICAL DOSING PUMPS DIAPHRAGM and PISTON PUMPS











### 

#### FLUIMAC S.r.l.

Via Brescia I 21049, Tradate (VA) - Italy Tel.:+39 0331 866688 Fax:+39 0331 864870

www.fluimac.com info@fluimac.com





Muuntotie 3, 01510 Vantaa +358 10 219 2100 www.ip-produkter.fi